

SAM STEVENS INC.

2101 Lubbock Hwy.
Lamesa, Texas 79331

MANUFACTURER OF QUALITY FARM EQUIPMENT

Phone: 806-872-836

Fax: 806-872-8368

HEAVY DUTY 3 POINT AGRICULTURAL BLADE

SS 25 - 120



SAM STEVENS INC.

2101 Lubbock Hwy.
Lamesa, Texas 79331

MANUFACTURER OF QUALITY FARM EQUIPMENT

Phone: 806-872-836

Fax: 806-872-8368

HEAVY DUTY 3 POINT AGRICULTURAL BLADE

SS 25 - 120

The SS 25 – 120 blade is 10 ft. in width and for regular CAT III or quick hitch. Blade is rated for up to 225 (PTO) for wheel-type tractor. This blade also features hydraulic settings, offset of 20”, angles forward and reverse, tilts up and down 9” to 12”, cutting blade ½” x 6” x 120” and weighs approx. 2230 lbs. The moldboard is reinforced ½” x 25”, with 5” solid steel king pin. This blade will give you years of dependable service.

STANDARD EQUIPMENT AND SPECIFICATIONS

Moldboard Width	10 Feet
Moldboard Height	½” x 25”
Cutting Blade	½” x 6” x 120”
Support Stands	2 – 2” Tube
Hitch	Cat.III and Quick Hitch
Maximum Tractor Horsepower	(PTO) 10’ – 225 HP
Front Wheel Assistant	10’ - 200 HP
King Pin Diameter	5”
Setting Adjustments	Hydraulic
Offset to Side	20” Left, 20” Right
Angles	Forward and Reverse
Tilt	Up and Down
Cylinder	(2) 4 x 16 (2” shaft) w/1¼” Pins (1)4 x 8 (2” shaft) w/1¼” Pins
Weight (approx.)	2230

*** NOTE: No Warranty if used on Track Type Tractor

SAM STEVENS INC.
2101 Lubbock Hwy.
Lamesa, Texas 79331

MANUFACTURER OF QUALITY FARM EQUIPMENT
Phone: 806-872-8365 Fax: 806-872-8368

HEAVY DUTY 3 POINT AGRICULTURAL BLADE

PART NO.	DESCRIPTION	WEIGHT
SS 25 - 120	Heavy Duty 3 Point Agricultural Blade, COMPLETE	2330 lbs.
SS 25 - 121	Blade, ONLY	
SS 25 - 048	4 x 8 Hydraulic Cylinder, with 2" Shaft	
SS 25 - 416	4 x 16 Hydraulic Cylinder, with 2" Shaft	
SS 25 - 007	Hydraulic Hose, 7 ft. Long	
SS 25 - 008	Hydraulic Hose, 8 ft. Long	
SS 25 - 010	Hydraulic Hose, 10 ft. Long	
SS 25 - 011	Hydraulic Hose, 11 ft. Long	